

### **Roby Densité**

## 1. Identification

Product identifier: Roby Densité

Product code:

Supplier name: Chimiques Nellen

2295 Boulevard Industriel

Chambly, Québec

J3L 4W3

**Telephone:** (450) 447-0707 **Emergency telephone number:** (450) 447-0707

Available hours: 8h-16h

**Recommended use:**Densimeter for maple syrup **Restrictions on use:**For industrial use only

### 2. Hazard identification

Hazard classification: WARNING

Product classification:



Skin corrosion/irritation-Category 2. Serious eye damage/eye irritation-Category 2.

Hazard statement(s): Causes skin irritation. Causes serious eye irritation.

### Precautionary statement(s)

**Prevention:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist, vapors and spray. Wash thoroughly after handling. Wear protective gloves, protective clothing and eye protection and face protection.

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. IF exposed or concerned: Get medical advice/attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a doctor. Wash contaminated clothing before reuse.

2019-05-30 Page 1/9



#### **Roby Densité**

Storage: Store locked up.

Disposal: Dispose of contents/container in accordance with local, regional, national and/or international regulations in force.

Other hazards: No other effects shown.

See toxicological information, section 11

## 3. Composition/information on ingredients

No	CAS No	Common name and synonyms	Concentration (W/W)
1	584-08-7	Potassium carbonate	15 to 40%

The real concentrations are retained as industrial secret.

### 4. First-aid measures

If swallowed, irritation, any type of overexposure or symptoms of overexposure occur during use of the product or persists after use, immediately contact a POISON CENTER, an EMERGENCY ROOM or a PHYSICIAN; ensure that the product safety data sheet is available.

**Eye contact:** Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.

**Skin contact:** In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.

**Inhalation:** Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

**Ingestion:** Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

**Symptoms:** This product is irritating and corrosive to skin, eyes, respiratory and digestive tracts. The severity of symptoms can vary depending on the exposure conditions (contact time, product concentration, etc.).

Effects (acute or delayed): Not available.

2019-05-30 Page 2/9



#### **Roby Densité**

**Immediate medical attention and special treatment:** No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

## 5. Fire-fighting measures

Suitable extinguishing media: Use the adequate ways to fight the neighbouring fires. Potassium carbonate itself is used as a fire retardant.

Unsuitable extinguishing media: Jets of water can facilitate the spread of fire.

Specific hazards arising from the hazardous product: No specific hazard.

Hazardous combustion products: Carbon monoxide and dioxide. Potassium oxide.

**Special protective equipment and precautions for fire-fighters:** Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## 6. Accidental release measures

**Personal precautions:** No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

**Protective equipment and emergency procedures:** Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

**Methods and materials for containment and cleaning up:** Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Use spark-proof tools and explosion proof equipment. Dispose of via a licensed waste disposal contractor.

## 7. Handling and storage

**Precautions for safe handling:** Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Avoid exposure - obtain special instructions

2019-05-30 Page 3/9



#### **Roby Densité**

before use. Avoid contact with eyes, skin and clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. The handling of this product must comply with local regulations. Store in an airtight container located in a dry, well ventilated and soil corrosion resistant cemented. Refer to the storage of the ROHS standards and NFC. Keep away from combustible materials and acids. If the product is stored with other dangerous substances, refer to the NFC segregation table. Containers for corrosive substances shall be kept closed, carry clear identification of their contents and be handled with care. Note: this product attacks certain types of plastic, rubber or coating.

Conditions for safe storage: Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Incompatibility: Acids. Finely divided metals (Ba, Be, Na, P, Al, Mg etc.). Chlorine trifluoride.

# 8. Exposure controls/Personal protection

No	CAS No	Common name and synonyms	IDHL mg/m3	TWA mg/m3	STEL mg/m3	CEIL mg/m3
1	584-08-7	Potassium carbonate	Not available	Not available	Not available	Not available

IDHL: Immediately Dangerous to Life or Health Concentrations

TWA: Time Weighted Average STEL: Short -Term Exposure Limit

CEIL: Ceiling Limit

**Appropriate engineering controls:** Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

**Individual protection measures:** Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eyes: NOT WEAR CONTACT LENSES Wear anti-splash safety goggles.

Hands: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical

2019-05-30 Page 4/9



### **Roby Densité**

products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties.

**Respiratory:** If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Others: Wear protective clothing with long sleeves and appropriate safety shoes at all times.

## 9. Physical and chemical properties

Physical state: Liquid

Colour: None
Odour: None

Odour threshold: Not available

pH: 11

Melting/Freezing point: -15°C (5°F)

Initial boiling point/boiling range: Not available

Flash point: Not applicable

Lower flammable/explosive limit: Not applicable Upper flammable/explosive limit: Not applicable Auto-ignition temperature: Not applicable

Evaporation rate: Not available

Vapour pressure: 12.00 mm of Hg at 20 °C

Vapour density: Not available

Relative density: 1.496 kg/L at 20 °C (water = 1)

Solubility in water: Soluble

Partition coefficient - n-octanol/water: Not available

Decomposition temperature: Not available

Kinematic viscosity: Not available

## 10. Stability and reactivity

Reactivity: Stable under recommended conditions of storage and handling.

Chemical stability: The product is chemically stable under normal conditions of use.

Possibility of hazardous reactions: Not available

2019-05-30 Page 5/9



### **Roby Densité**

Conditions to avoid: Do not pierce or burn, even after use. Keep away from incompatible products.

Incompatible materials: (see Section 7)

Hazardous decomposition products: Not available.

# 11. Toxicological information

No	CAS No	Common name and synonyms	(1) LD oral	(2) LD skin	(3) LD skin	(4) LC gases	(5) LC vapours	(6) LC dusts-mist
1	584-08-7	Potassium carbonate	Not available	Not available	Not available	Not available	Not available	Not available

- (1) LD<sub>50</sub> oral mg/kg
- (2) LD<sub>50</sub> skin mg/kg
- (3) LD<sub>50</sub> skin mg/kg
- (4) LC<sub>50</sub> inhalation ppmV 4h gases
- (5) LC50 inhalation mg/l 4h vapours
- (6) LC<sub>50</sub> inhalation mg/l 4h dusts-mist

Routes of exposure: Not available.

**Symptoms:** This product is irritating and corrosive to skin, eyes, respiratory and digestive tracts. The severity of symptoms can vary depending on the exposure conditions (contact time, product concentration, etc.).

Delayed and immediate effects: Not available.

No	CAS No	Common name and synonyms	IARC	ACGIH	Mutagenicity	Effect on
						reproduction
1	584-08-7	Potassium carbonate	4	A5	No effect shown.	No effect shown.

Cancer classification under IARC (International Agency for Research on Cancer)

2019-05-30 Page 6/9



### **Roby Densité**

Group 1: carcinogenic to humans.

Group 2A: probably carcinogenic to humans. Group 2B: possibly carcinogenic to humans.

Group 3: not classifiable as to its carcinogenicity to humans.

Group 4: probably not carcinogenic to humans.

### Cancer classification under ACGIH (American Conference of Governmental Industrial Hygienists)

Group A1: confirmed human carcinogen. Group A2: suspected human carcinogen.

Group A3: confirmed animal carcinogen with unknown relevance to humans.

Group A4: not classifiable as a human carcinogen. Group A5: not suspected as a human carcinogen.

# 12. Ecological information

No	CAS No	Common name and synonyms	%	Persistent	Bio-accumulation	Aquatic ecotoxicity
1	584-08-7	Potassium carbonate	15 to 40%	Not available	No	No

The real concentrations are retained as industrial secret.

No	CAS No	Common name and synonyms	%	Ecotoxicity for	Ecotoxicity for	Environmental
				aquatic	aquatic	effects
				organisms-Short	organisms-Long	
				term	term	
1	584-08-7	Potassium carbonate	15 to	No known	No known	No known
	40%	adverse effect to	adverse effect to	adverse effect to		
				aquatic life.	aquatic life.	the environment.

The real concentrations are retained as industrial secret.

# 13. Disposal considerations

**Methods of disposal:** The generation of waste should be avoided or minimized wherever possible. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

# 14. Transport information

TDG	DOT	IMDG	IATA

2019-05-30 Page 7/9



### **Roby Densité**

UN number				
Proper shipping name	Not regulated	Not regulated	Not regulated	Not regulated
Transport hazard class(es)				
Packing group				

#### Other information

Marine pollutant: Not applicable

**IMDG:** Not applicable

Exemption for limited quantity: Not applicable.

Special precautions: Not applicable

Other exemptions:

# 15. Regulatory information

#### Canada

No	CAS No	Common name and synonyms	%	DSL	NSL	NPRI
1	584-08-7	Potassium carbonate	15 to 40%			

The real concentrations are retained as industrial secret.

#### **United-States**

No	CAS No	Common name and synonyms	%	TSCA	PROP-65	Right to Know
1	584-08-7	Potassium carbonate	15 to 40%			

The real concentrations are retained as industrial secret.

All ingredients are listed on the EINECS or in compliance with the inventory

The customer is responsible for determining the PPE (personal protection equipment) code for this material.

The classification of the product and the SDS were developed in accordance with HPR.

## 16. Other information

**Date:** 2019-05-30 **Version:** 3

**Notice to the reader:** The manufacturer hereby declares that the information disclosed herein have been based on governmental sites and/or raw material suppliers'. The manufacturer has no control over the nature and content of such information. The manufacturer fully reproduces all

2019-05-30 Page 8/9



### **Roby Densité**

the information it holds on the constituent of the product, at the time it is manufactured. The manufacturer does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. By this data sheet, the manufacturer hereby discloses all the potential dangers it has knowledge of and which might be related to the using or manipulation of the product to allow the proper care to be brought and use about the product. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist and notification is hereby given to the user. Notice is hereby given that injury can derive therefrom if the foregoing is not respected. The manufacturer assumes no responsibility for personal and/or material damage, lost or injury of whichever nature caused or which may occur following the wrongful, inappropriate, negligent or abusive use or handling of the product or from not having read the herein contained information.

2019-05-30 Page 9/9